

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	CLASEMAN-GEORGE.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:04
S2	9	"IEEE 802.3 clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S3	4947	"IEEE 802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S4	26	"IEEE 802.3" with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 21:02
S5	12733	register same port same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:05
S6	16	register same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S7	9	register with "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:54
S8	44	register same port same block same ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:05

EAST Search History

S9	100448	(711/202 377/64).ccls. "370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S10	1879	(711/202 377/64).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S11	5	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:06
S12	13	port same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:08
S13	1	STA same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S14	6	station adj manage\$ same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:09
S15	0	mask same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:09
S16	1	(mask near2 register) and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11

EAST Search History

S17	5605	register near2 bank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11
S18	183	S17 same (register near2 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:11
S19	10	S18 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:12
S20	26	S18 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:12
S21	1	S18 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S22	0	S18 and "clause 45"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S23	4947	"IEEE 802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13
S24	2	S18 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:13

EAST Search History

S25	8	"stream looping"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S26	32405	location same control same register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S27	24225	(location and control) with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:25
S28	5851	(location and control) near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:28
S29	449	S28 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:26
S30	19	S29 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:26
S31	53	S29 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:04
S32	582	((location and control) near2 register) same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29

EAST Search History

S33	22	S32 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:27
S34	11	((location and control) near2 register) same block same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S35	1413	(location same control) near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:28
S36	235	((location same control) near2 register) same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S37	7	((location same control) near2 register) same block same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 22:29
S38	0	MMD same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:15
S39	0	MMD and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:41
S40	1	(control adj engine) with ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42

EAST Search History

S41	1445	(control) with ("operational code" "op code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S42	476	(control) with ("operational code" "op code") with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S43	5	(control) with ("operational code" "op code") with register with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/25 23:42
S44	19888	register with pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S45	2074	register with pointer with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S46	1	register with pointer with (block adj selector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S47	433	register with pointer with selector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03
S48	39	S47 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 00:03

EAST Search History

S49	5400	mask adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:24
S50	33	(advantage benefit) with S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:20
S51	525	S49 with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:32
S52	107	S49 with block near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:24
S53	8	S52 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:25
S54	0	S49 same "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S55	1	S49 and "clause 22"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S56	167	S49 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26

EAST Search History

S57	0	S49 same "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:26
S58	43	S49 with screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:34
S59	15	S49 with fast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:37
S60	0	S49 with baseline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:37
S61	46	S49 with parameters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S62	155	S49 with certain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S63	82	S49 near5 certain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:38
S64	11	S62 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41

EAST Search History

S65	32	S62 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41
S66	3	S62 and "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 01:41
S67	52	register with "802.3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:08
S68	4	S67 and register.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:09
S69	7	S67 and physical.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:09
S70	58	"pointer handling"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15
S71	100448	(711/202 377/64).ccls. "370".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15
S72	4	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 08:15



Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Mon, 26 Jun 2006, 8:21:20 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#)

to:

- Add a query to the Search Query Display


Recent Search Queries

- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Results

#1 ((stream looping)<in>metadata) 0

#2 ((pointer handling)<in>metadata) 1

Indexed by
 Inspec

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

"stream looping"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 182 for "**stream looping**". (0.13 seconds)

[Mailing list archives](#)

Subject, console **stream looping** Error. Please help. Date, Fri, 18 Jun 2004 14:19:26 GMT.
Hi I'm log4j (v 1.2.8) in my web application for logging purposes. ...
[mail-archives.apache.org/.../200406.mbox/ %3C20040618141926.44350.qmail@web40106.mail.yahoo.com%3E - 6k -](#)
[Cached](#) - [Similar pages](#)

[Mailing list archives](#)

An: log4j-user@jakarta.apache.org com> Kopie: Thema: console **stream looping** Error.
Please help 18.06.2004 16:19 Bitte antworten an "Log4J Users List" Hi I'm ...
[mail-archives.apache.org/mod_mbox/logging-log4j-user/ 200406.mbox/%3COF19C10997.912AA5BB-ONC1256EB7.0058AD... - 8k -](#) [Cached](#) - [Similar pages](#)
[[More results from mail-archives.apache.org](#)]

[gmane.comp.jakarta.log4j.user](#)

Subject: Antwort: console **stream looping** Error. Please help ... An: log4j-user <at>
jakarta.apache.org com> Kopie: Thema: console **stream looping** Error. ...
[blog.gmane.org/gmane.comp.jakarta.log4j.user/day=20040618 - 45k -](#)
[Cached](#) - [Similar pages](#)

[FMOD SoundSystem :: View topic - Looping and isPlaying\(\) problem ...](#)

Which one have I to use in order to make my **stream looping** ? All three of them ? thanks
for any help , Davide. Back to top ...
[www.fmod.org/forum/viewtopic.php?p=19289& sid=b48b643783b6eb37e43571c94af06d27 - 48k -](#) [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[Tektronix: Products > ISDB-T RF Signal Generator - RTX100A ...](#)

The RTX100A offers continuous, error free transport **stream looping** for long duration
playout, and PCR jitter insertion for stressing designs. ...
[www.tektronix.com/site/ps/0,,25-18915-INTRO_EN,00.html - 26k -](#) [Cached](#) - [Similar pages](#)

[mug-archive: Re: StreamPlaying and StreamStopped Events](#)

In this case (**stream looping**), shall a streamPlaying event be generated >> immediately
after the streamStopped event ? > > Interesting question. ...
[www.mheg.org/users/mheg/ archives/maillarchive-1998/0075.html - 8k -](#)
[Cached](#) - [Similar pages](#)

[mug-archive: Re: StreamPlaying and StreamStopped Events](#)

In this case (**stream looping**), shall a streamPlaying event be generated > immediately
after the streamStopped event ? Interesting question. ...
[www.mheg.org/users/mheg/ archives/maillarchive-1998/0074.html - 5k -](#)
[Cached](#) - [Similar pages](#)
[[More results from www.mheg.org](#)]

[biodustrial.com :: View topic - Stream](#)

Is the **stream looping** for anyone else? _____ Sand descends with blind
intent. Back to top. View user's profile · Send private message · AIM ...
[www.biodustrial.com/forums/viewtopic.php?t=52&highlight=&sid=925287cc0b14e2eefeda45370158904a - 16k -](#) [Cached](#) - [Similar pages](#)

Glitch-less looping places restrictions on the MPEG encoding, the multiplexing, the server (or system that controls the MPEG **stream looping**) and the MPEG ...
www.pixeltools.com/answers.html - 71k - [Cached](#) - [Similar pages](#)

2004 - 06 - 18 [1] console **stream looping** Error . Please help log4j - use Naresh Agarwa
29 . 2004 - 06 - 18 [4] How to use SMTPAppender for info ...
marc.10east.com/?i=log4j-user& r=1&b=200406&w=2 - Supplemental Result -
[Similar pages](#)

Goooooooooooooogle ►

"stream looping" Search

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

<http://www.google.com/search?hl=en&lr=&q=%22stream+looping%22>

6/26/2006 .

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

advantage pointer

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 12,700,000 for **advantage pointer**. (0.09 seconds)

[PDF] Pointers and Memory

File Format: PDF/Adobe Acrobat - [View as HTML](#)

more entities can cooperatively share a single memory structure is a key **advantage** of.

pointers in all computer languages. **Pointer** manipulation is just ...

cslibrary.stanford.edu/102/PointersAndMemory.pdf - [Similar pages](#)

I-Hacked.com Taking Advantage Of Technology - Transmit Audio with ...

Using a simple laser pen **pointer**, a few misc parts, and about 15 minutes, ... Since there are many different styles of laser **pointer**, you may have to ...

www.i-hacked.com/content/view/162/44/ - 34k - [Cached](#) - [Similar pages](#)

I-Hacked.com Taking Advantage Of Technology - Transmit Audio with ...

Using a simple laser pen **pointer**, a few misc parts, and about 15 minutes, ... Connect a clip lead to the inside of the laser **pointer** where the battery ...

www.i-hacked.com/index.php?option=com_content&task=view&id=162&Itemid=44 - 34k - [Cached](#) - [Similar pages](#)

AskTog: A Quiz Designed to Give You Fitts

The prime pixel is located at the current location of the mouse **pointer**. ... The other "advantage" usually ascribed to a menu bar at the top of each window ...

www.asktog.com/columns/022DesignedToGiveFitts.html - 31k - [Cached](#) - [Similar pages](#)

Tagged pointer - Wikipedia, the free encyclopedia

Often, the tag in a tagged **pointer** will be "folded" into the data representing the **pointer**, taking **advantage** of one of the following properties of **pointers**: ...

en.wikipedia.org/wiki/Tagged_pointer - 17k - [Cached](#) - [Similar pages](#)

Function pointer Advantage - C

Function **pointer Advantage**, a discussion topic in our C forum. Join us for more discussions on software, scripts, programming, C and Function **pointer** ...

www.thescripts.com/forum/thread214778.html - 52k - [Cached](#) - [Similar pages](#)

Visual C++ Internals and Practices : Behind the Design: Handles

Because handles were freed from the compatibility of **pointers**, they were designed to afford the programmer all the **advantages** of **pointers** while providing ...

blogs.msdn.com/branbray/archive/2003/11/17/51016.aspx - 33k - [Cached](#) - [Similar pages](#)

IBM CICS Transaction Gateway for Multiplatforms V6.0 includes ...

A CD-ROM containing the Program; A CD-ROM containing the Publications; A Product Information Card; A Passport **Advantage Pointer** Sheet ...

www-306.ibm.com/.../ssi/ssialias?infotype=an&

subtype=ca&supplier=897&letternum=ENUS204-284 - 69k - [Cached](#) - [Similar pages](#)

Windows XP Accessibility Tips and How-to Articles

Learn how to take **advantage** of scrollbar and window border size, desktop icons, high contrast ... Learn how to hide the **pointer** while typing in Windows XP

https://www.microsoft.com/windowsxp/using/accessibility/default.mspx - 48k - [Cached](#) - [Similar pages](#)

Synaps Epogy and Pointer - Company Advantage

Synaps, Inc. and its Epogy and **Pointer** software provide process integration.
www.synaps-inc.com/about.html - 14k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google